

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAJLK1617

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

***** Welcome to STN International *****

NEWS 1 Web Page for STN Seminar Schedule - N. America
NEWS 2 JUL 02 LMEDLINE coverage updated
NEWS 3 JUL 02 SCISEARCH enhanced with complete author names
NEWS 4 JUL 02 CHEMCATS accession numbers revised
NEWS 5 JUL 02 CA/CAPLUS enhanced with utility model patents from China
NEWS 6 JUL 16 CAPLUS enhanced with French and German abstracts
NEWS 7 JUL 18 CA/CAPLUS patent coverage enhanced
NEWS 8 JUL 26 USPATFULL/USPAT2 enhanced with IPC reclassification
NEWS 9 JUL 30 USGENE now available on STN
NEWS 10 AUG 06 CAS REGISTRY enhanced with new experimental property tags
NEWS 11 AUG 06 BEILSTEIN updated with new compounds
NEWS 12 AUG 06 FSTA enhanced with new thesaurus edition
NEWS 13 AUG 13 CA/CAPLUS enhanced with additional kind codes for granted
patents
NEWS 14 AUG 20 CA/CAPLUS enhanced with CAS indexing in pre-1907 records
NEWS 15 AUG 27 Full-text patent databases enhanced with predefined
patent family display formats from INPADOCDB
NEWS 16 AUG 27 USPATOLD now available on STN
NEWS 17 AUG 28 CAS REGISTRY enhanced with additional experimental
spectral property data
NEWS 18 SEP 07 STN AnaVist, Version 2.0, now available with Derwent
World Patents Index
NEWS 19 SEP 13 FORIS renamed to SOFIS
NEWS 20 SEP 13 INPADOCDB enhanced with monthly SDI frequency
NEWS 21 SEP 17 CA/CAPLUS enhanced with printed CA page images from
1967-1998
NEWS 22 SEP 17 CAPLUS coverage extended to include traditional medicine
patents
NEWS 23 SEP 24 EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS 24 OCT 02 CA/CAPLUS enhanced with pre-1907 records from Chemisches
Zentralblatt

NEWS EXPRESS 19 SEPTEMBER 2007: CURRENT WINDOWS VERSION IS V8.2,

CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS LOGIN Welcome Banner and News Items

NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 12:22:38 ON 17 OCT 2007

=> FILE REG

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		0.21	0.21

FILE 'REGISTRY' ENTERED AT 12:22:54 ON 17 OCT 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 16 OCT 2007 HIGHEST RN 950817-67-1
DICTIONARY FILE UPDATES: 16 OCT 2007 HIGHEST RN 950817-67-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> E ascorbic acid 2-glucoside/CN

- E1 1 ASCR 17H/CN
- E2 1 ASCR PROTEIN (AEROMONAS SALMONICIDA SALMONICIDA STRAIN JF226 7 GENE ASCR)/CN
- E3 0 --> ASCRBIC ACID 2-GLUCOSIDE/CN
- E4 2 ASCRIPTIN/CN
- E5 1 ASCROLIMUS/CN
- E6 1 ASCRON/CN
- E7 1 ASCS PROTEIN (AEROMONAS SALMONICIDA SALMONICIDA STRAIN JF226 7 GENE ASCS)/CN
- E8 1 ASCT PROTEIN (AEROMONAS SALMONICIDA SALMONICIDA STRAIN JF226 7 GENE ASCT)/CN
- E9 1 ASCU A/CN
- E10 1 ASCU PROTEIN (AEROMONAS SALMONICIDA SALMONICIDA STRAIN JF226 7 GENE ASCU)/CN
- E11 1 ASCULETINE/CN
- E12 1 ASCUMAR/CN

=> E Ascorbic acid 2-glucoside/CN

- E1 1 ASCORBIC ACID 2,5,6-TRISULFATE POTASSIUM SALT/CN
- E2 1 ASCORBIC ACID 2,5,6-TRISULFATE SODIUM SALT/CN
- E3 0 --> ASCORBIC ACID 2-GLUCOSIDE/CN
- E4 1 ASCORBIC ACID 2-PHOSPHATE/CN
- E5 1 ASCORBIC ACID 2-PHOSPHATE MAGNESIUM SALT/CN
- E6 1 ASCORBIC ACID 2-PYROPHOSPHATE/CN
- E7 1 ASCORBIC ACID 2-PYROPHOSPHATE SODIUM SALT/CN
- E8 1 ASCORBIC ACID 2-SULFATE/CN
- E9 1 ASCORBIC ACID 2-SULFATE DEHYDROGENASE/CN
- E10 1 ASCORBIC ACID 2-SULFATE DIPOTASSIUM SALT/CN
- E11 1 ASCORBIC ACID 2-SULFATE SULFOHYDROLASE/CN
- E12 1 ASCORBIC ACID 2-TRIPHOSPHATE/CN

=> E Ascorbic acid glucoside/CN

- E1 1 ASCORBIC ACID FREE RADICAL PEROXIDASE/CN

E2	1	ASCORBIC ACID FREE RADICAL REDUCTASE/CN
E3	0 -->	ASCORBIC ACID GLUCOSIDE/CN
E4	1	ASCORBIC ACID MONOANION/CN
E5	1	ASCORBIC ACID MONOOLEATE/CN
E6	1	ASCORBIC ACID MONOPALMITATE/CN
E7	1	ASCORBIC ACID MONOSTEARATE/CN
E8	1	ASCORBIC ACID NICOTINAMIDE COMPLEX/CN
E9	1	ASCORBIC ACID OXIDASE/CN
E10	1	ASCORBIC ACID PALMITATE/CN
E11	1	ASCORBIC ACID PEROXIDASE/CN
E12	1	ASCORBIC ACID PHENYLOSAZONE/CN

=> E ascorbyl glucoside/CN

E1	1	ASCORBYL DIPALMITATE/CN
E2	1	ASCORBYL GAMOLENATE/CN
E3	1 -->	ASCORBYL GLUCOSIDE/CN
E4	1	ASCORBYL L-LACTATE/CN
E5	1	ASCORBYL LAURATE/CN
E6	1	ASCORBYL LINOLENATE/CN
E7	1	ASCORBYL MONOMYRISTATE/CN
E8	1	ASCORBYL MONOPALMITATE/CN
E9	1	ASCORBYL MYRISTATE/CN
E10	1	ASCORBYL OCTANOTE/CN
E11	1	ASCORBYL PALMITATE/CN
E12	1	ASCORBYL PALMITATE-A-TOCOPHERAMINE MIXTURE/CN

=> S E3

L1	1	"ASCORBYL GLUCOSIDE"/CN
----	---	-------------------------

=> E Adenosine monophosphate/CN

E1	1	ADENOSINE L-CYSTEINE HYDROCHLORIDE MIXTURE/CN
E2	2	ADENOSINE MONOPHOSPHATASE/CN
E3	1 -->	ADENOSINE MONOPHOSPHATE/CN
E4	1	ADENOSINE MONOPHOSPHATE DEAMINASE/CN
E5	1	ADENOSINE MONOPHOSPHATE DEAMINASE 2 (ISOFORM L) (HUMAN CLONE MGC:12857 IMAGE:4101667)/CN
E6	1	ADENOSINE MONOPHOSPHATE DEAMINASE 2 (ISOFORM L) (MOUSE STRAI N C57BL/6 CLONE MGC:61170 IMAGE:6812571)/CN
E7	1	ADENOSINE MONOPHOSPHATE DEAMINASE 2 (ISOFORM L), ISOFORM 2 (HUMAN CLONE MGC:12857 IMAGE:4101667)/CN
E8	1	ADENOSINE MONOPHOSPHATE DEAMINASE 2 (ISOFORM L), ISOFORM 2 (HUMAN CLONE MGC:88800 IMAGE:4130690)/CN

E9 1 ADENOSINE MONOPHOSPHATE DISODIUM SALT/CN
E10 1 ADENOSINE MONOPHOSPHATE N1-OXIDE/CN
E11 1 ADENOSINE MONOPHOSPHATE NUCLEOSIDASE/CN
E12 1 ADENOSINE MONOPHOSPHATE-ACTIVATED PROTEIN
KINASE/CN

=> S E3

L2 1 "ADENOSINE MONOPHOSPHATE"/CN

=> FILE CAPLUS

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		11.70	11.91

FILE 'CAPLUS' ENTERED AT 12:25:17 ON 17 OCT 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 17 Oct 2007 VOL 147 ISS 17
FILE LAST UPDATED: 16 Oct 2007 (20071016/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> S L1 and L2

429 L1

18538 L2

L3 7 L1 AND L2

=> D IBIB ABS 1-7 L3

L3 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2007:173888 CAPLUS <<LOGINID::20071017>>
DOCUMENT NUMBER: 146:212282
TITLE: Agent for enhancing collagen production and
utilization of the same
INVENTOR(S): Miyata, Satomi; Ushio, Shimpei; Iwaki, Kanso; Miyake,
Toshio
PATENT ASSIGNEE(S): Kabushiki Kaisha Hayashibara Seibutsu Kagaku Kenkyujo,
Japan
SOURCE: PCT Int. Appl., 46pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

WO 2007018124	A1	20070215	WO 2006-JP315410	20060803
---------------	----	----------	------------------	----------

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
GE, GH, GM, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,
KR, KZ, LA, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN,
MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU,
SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG,
US, UZ, VC, VN, ZA, ZM, ZW

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE,
IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ,
CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY,
KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: JP 2005-232679 A 20050811

AB It is intended to provide a means exerting a prolonged effect of enhancing
the production of collagen. This object can be achieved by an agent for
enhancing collagen production which contains, as the active ingredient,
a,a-trehalose and/or a sugar derivative of a,a-
trehalose, or a composition for enhancing collagen production which contains the
agent for enhancing collagen production as described above.

REFERENCE COUNT: 15 THERE ARE 15 CITED REFERENCES
AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:656036 CAPLUS <<LOGINID::20071017>>
DOCUMENT NUMBER: 145:109781
TITLE: Solid oil-in-water emulsions containing biologically
active electrolytes

INVENTOR(S): Shinohara, Shigeo; Harano, Fumiki; Tsujimoto, Shinji;
Saeki, Isamu

PATENT ASSIGNEE(S): Otsuka Pharmaceutical Co., Ltd., Japan

SOURCE: PCT Int. Appl., 27 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

WO 2006070789	A1	20060706	WO 2005-JP23865	20051227
---------------	----	----------	-----------------	----------

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

JP 2006182746	A	20060713	JP 2004-381162	20041228
---------------	---	----------	----------------	----------

AU 2005320616	A1	20060706	AU 2005-320616	20051227
---------------	----	----------	----------------	----------

CA 2590928	A1	20060706	CA 2005-2590928	20051227
------------	----	----------	-----------------	----------

EP 1842522	A1	20071010	EP 2005-822499	20051227
------------	----	----------	----------------	----------

R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LI, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR

IN 2007DN04618	A	20070817	IN 2007-DN4618	20070615
----------------	---	----------	----------------	----------

PRIORITY APPLN. INFO.: JP 2004-381162 A 20041228

WO 2005-JP23865 W 20051227

AB Disclosed is a solid composition consisting of an oil-in-water emulsion that has satisfactory hardness, ensuring excellent feeling upon use and is capable of satisfactory expression of the physiol. functions of electrolytes. The solid composition can be obtained by preparing an oil-in-water emulsion through combining together of solid oils, liquid oils, surfactants, polyhydric alcs., electrolytes, and water. For example, lipsticks contained paraffin oil 13.5, 2-hexyldecyl isostearate 13, methylpolysiloxane 0.5, candelilla wax 13.5, hydrogenated jojoba oil 8, lipophilic glycerin monostearate 3, stearyl glyceryl ether 0.1, ethoxylated hydrogenated castor oil 0.5, maltitol hydroxyalkyl ether 3, decaglycerol monostearate 1, sodium N-stearoyl-L-glutamate 0.5, glycerin 16, 1,3-butylene glycol 6, ascorbic acid 2-glucoside 2, disodium AMP 3,

and distilled water balance to 100 %.

REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES
AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2005:1173832 CAPLUS <<LOGINID::20071017>>

DOCUMENT NUMBER: 143:426980

TITLE: Skin compositions containing Punica granatum flower
extracts

INVENTOR(S): Yamahara, Joji

PATENT ASSIGNEE(S): Sakamoto Yakusoen Y. K., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 14 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2005306831	A	20051104	JP 2004-151064	20040420
PRIORITY APPLN. INFO.:			JP 2004-151064	20040420

AB The invention provides a skin composition characterized by containing Punica granatum flower extract as fibroblast-derived elastase inhibitor, wherein the composition has anti-aging and skin-lightening effect. Skin compns. containing further specified components are also disclosed. For example, a skin lotion containing Punica granatum flower extract 1, glycerin 3, 1,3-butylene glycol 2, polyethylene glycol 2, ethanol 5, Me paraben 0.1, xanthan gum 0.1, citric acid 0.01, sodium citrate 0.03, trimethylglycine 1, and water balance to 100 % was formulated.

L3 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:993109 CAPLUS <<LOGINID::20071017>>

DOCUMENT NUMBER: 141:415634

TITLE: Skin compositions containing anti-aging peptides and
polyhydric alcohols

INVENTOR(S): Hirano, Nobuyuki; Adachi, Katsuyoshi; Tada, Takahiro;
Ito, Shiho; Aramaki, Kaname

PATENT ASSIGNEE(S): Mikimoto Pharmaceutical Co., Ltd., Japan; Toshin
Kagaku Co., Ltd.

SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.

CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	---	-----	-----	-----
JP 2004323401	A	20041118	JP 2003-118442	20030423
PRIORITY APPLN. INFO.:			JP 2003-118442	20030423
AB The invention relates to a skin composition containing Glu-Glu-Met-Gln-Arg-Arg peptide and polyhydric alc. having ³ 2 OH groups, wherein the composition shows improved effect of the peptide. Skin compns. containing the hexapeptide, polyhydric alcs., and other active components are also disclosed. A cosmetic lotion containing Glu-Glu-Met-Gln-Arg-Arg peptide solution (Argireline solution) 10, glycerin 10, Me paraben 0.2, and water balance to 100 % was formulated.				

L3 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2004:695458 CAPLUS <<LOGINID::20071017>>
 DOCUMENT NUMBER: 141:230304
 TITLE: Skin moisturizing, lightening, and antiaging cosmetics
 and (quasi)drugs containing shellfish collagens type I
 (a1)3
 INVENTOR(S): Tada, Takahiro; Tsuji, Nobuhide; Adachi, Katsuyoshi
 PATENT ASSIGNEE(S): Mikimoto Pharmaceutical Co., Ltd., Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 21 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	---	-----	-----	-----
JP 2004238386	A	20040826	JP 2003-118440	20030423
PRIORITY APPLN. INFO.:			JP 2002-358821	A 20021211
AB Cosmetics and (quasi)drugs contain (derivs. of) shellfish collagen type I (a1)3 and skin moisturizers, softening agents, cell activators, anti-inflammatory agents, antioxidants, circulation promoters, and/or skin-lightening agents. Thus, a liquid cosmetic was formulated containing pearl oyster collagen type I (a1)3 and Na hyaluronate.				

L3 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2004:162578 CAPLUS <<LOGINID::20071017>>
 DOCUMENT NUMBER: 140:187005
 TITLE: Antiaging compositions containing ascorbates and
 adenylic acids
 INVENTOR(S): Wakamatsu, Kosaburo; Harano, Fumiki; Koba, Takashige;
 Shinohara, Shigeo

PATENT ASSIGNEE(S): Otsuka Pharmaceutical Co., Ltd., Japan

SOURCE: PCT Int. Appl., 29 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004016238	A1	20040226	WO 2003-JP9783	20030801
W: AU, BR, CA, CN, ID, IN, KR, PH, US				
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR				
JP 2004067576	A	20040304	JP 2002-228368	20020806
CA 2493496	A1	20040226	CA 2003-2493496	20030801
AU 2003252312	A1	20040303	AU 2003-252312	20030801
EP 1547577	A1	20050629	EP 2003-788027	20030801
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, SK				
BR 2003013274	A	20050705	BR 2003-13274	20030801
CN 1674863	A	20050928	CN 2003-818967	20030801
US 2005250710	A1	20051110	US 2005-523605	20050204
PRIORITY APPLN. INFO.: JP 2002-228368 A 20020806				
WO 2003-JP9783 W 20030801				

AB It is intended to provide an antiaging composition by which skin aging can be effectively retarded and, in particular, skin pigmentation can be improved. It is also intended to provide a method of potentiating the antiaging effect of ascorbic acid or its analog. Namely, an antiaging composition characterized by containing (A) at least one member selected from the group consisting of ascorbic acid, its derivs. and salts thereof; and (B) a purine nucleic acid-related substance. A method of using (A) at least one member selected from the group consisting of ascorbic acid, its derivs. and salts thereof together with (B) a purine nucleic acid-related substance to thereby potentiate the antiaging effect of the component A. For example, a lotion contained AMP 2, ascorbic acid 2-glucoside 2, 1,3-butylene glycol 2, concentrated glycerin 2, polyoxyethylene sorbitan monolaurate 1, ethanol 5, preservatives q.s., pH modifiers to pH 6.5, and distilled water balance to 100 %.

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1995:703456 CAPLUS <<LOGINID::20071017>>

DOCUMENT NUMBER: 123:93348

TITLE: L-Ascorbate preparations for intracerebral
 administration
 INVENTOR(S): Miwa, Nobuhiko; Ito, Shinobu; Ogata, Eiji
 PATENT ASSIGNEE(S): Showa Denko Kk, Japan
 SOURCE: Jpn. Kokai Tokkyo Koho, 8 pp.
 CODEN: JKXXAF
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 07126162	A	19950516	JP 1993-270901	19931028
US 5869525	A	19990209	US 1996-647767	19960515
PRIORITY APPLN. INFO.:			JP 1993-270901	A 19931028

AB The preps., for intracerebral administration, contain ³¹ kinds of
 L-ascorbates, having forms showing stable activity, and ³¹ kinds of
 blood-brain barrier-opening agents. The preps. are useful for treatment
 of schizophrenia, medicinal poisoning, Down's syndrome, Parkinson disease,
 depression, ischemia-reperfusion injury, etc. Neuronal death of jirds
 (carotid occlusion models for ischemia) was significantly prevented by
 i.v. administration of 200 mL of an injection containing 40 mM
 L-ascorbic acid 2-phosphate Mg salt and 10% glucose for 5 days.

=> FILE REG

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		23.10	35.01

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE
 TOTAL

	ENTRY	SESSION
CA SUBSCRIBER PRICE	-5.46	-5.46

FILE 'REGISTRY' ENTERED AT 12:29:18 ON 17 OCT 2007
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
 provided by InfoChem.

STRUCTURE FILE UPDATES: 16 OCT 2007 HIGHEST RN 950817-67-1
 DICTIONARY FILE UPDATES: 16 OCT 2007 HIGHEST RN 950817-67-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> E adenosine monophosphate/CN

E1 1 ADENOSINE L-CYSTEINE HYDROCHLORIDE MIXTURE/CN
E2 2 ADENOSINE MONOPHOSPHATASE/CN
E3 1 --> ADENOSINE MONOPHOSPHATE/CN
E4 1 ADENOSINE MONOPHOSPHATE DEAMINASE/CN
E5 1 ADENOSINE MONOPHOSPHATE DEAMINASE 2 (ISOFORM L)
(HUMAN CLONE
MGC:12857 IMAGE:4101667)/CN
E6 1 ADENOSINE MONOPHOSPHATE DEAMINASE 2 (ISOFORM L)
(MOUSE STRAI
N C57BL/6 CLONE MGC:61170 IMAGE:6812571)/CN
E7 1 ADENOSINE MONOPHOSPHATE DEAMINASE 2 (ISOFORM L),
ISOFORM 2 (
HUMAN CLONE MGC:12857 IMAGE:4101667)/CN
E8 1 ADENOSINE MONOPHOSPHATE DEAMINASE 2 (ISOFORM L),
ISOFORM 2 (
HUMAN CLONE MGC:88800 IMAGE:4130690)/CN
E9 1 ADENOSINE MONOPHOSPHATE DISODIUM SALT/CN
E10 1 ADENOSINE MONOPHOSPHATE N1-OXIDE/CN
E11 1 ADENOSINE MONOPHOSPHATE NUCLEOSIDASE/CN
E12 1 ADENOSINE MONOPHOSPHATE-ACTIVATED PROTEIN
KINASE/CN

=> S E3 and E9

1 "ADENOSINE MONOPHOSPHATE"/CN
1 "ADENOSINE MONOPHOSPHATE DISODIUM SALT"/CN
L4 0 "ADENOSINE MONOPHOSPHATE"/CN AND "ADENOSINE
MONOPHOSPHATE DISODI
UM SALT"/CN

=> S E3 or E9

1 "ADENOSINE MONOPHOSPHATE"/CN
1 "ADENOSINE MONOPHOSPHATE DISODIUM SALT"/CN
L5 2 "ADENOSINE MONOPHOSPHATE"/CN OR "ADENOSINE
MONOPHOSPHATE DISODIUM
SALT"/CN

=> S ascorbyl tetraisopalmitate/cn

L6 1 ASCORBYL TETRAISOPALMITATE/CN

=> E Ascorbyl tetraisopalmitate/CN

E1 1 ASCORBYL SORBATE/CN
E2 2 ASCORBYL STEARATE/CN
E3 1 --> ASCORBYL TETRAISOPALMITATE/CN
E4 1 ASCORBYL TETRALAURATE/CN
E5 1 ASCORBYL TETRAMYRISTATE/CN
E6 1 ASCORBYL TETRAPALMITATE/CN
E7 1 ASCORBYL TETRASTEARATE/CN
E8 1 ASCORBYL TRILAURATE/CN
E9 1 ASCORBYL TRIMYRISTATE/CN
E10 1 ASCORBYL TRISTEARATE/CN
E11 1 ASCORBYLOLEATE/CN
E12 1 ASCORBYLPALMITIC ACID/CN

=> E L-ascorbyl phosphate/cn

E1 1 L-ASCORBYL MONOSTEARATE/CN
E2 1 L-ASCORBYL PALMITATE/CN
E3 0 --> L-ASCORBYL PHOSPHATE/CN
E4 1 L-ASCORBYL STEARATE/CN
E5 1 L-ASCORBYL TETRAISOPALMITATE/CN
E6 1 L-ASCORBYL-2-PHOSPHATE/CN
E7 1 L-ASNASE/CN
E8 1 L-ASORBIC ACID, NIOBIUM SALT/CN
E9 1 L-ASP-L-ALA-L-HIS-NHCH3/CN
E10 1 L-ASP-L-ALA-OME/CN
E11 1 L-ASP-L-ILE-OME/CN
E12 1 L-ASP-L-LEU-OME/CN

=> S E6

L7 1 L-ASCORBYL-2-PHOSPHATE/CN

=> E ascorbyl glucoside/CN

E1 1 ASCORBYL DIPALMITATE/CN
E2 1 ASCORBYL GAMOLENATE/CN
E3 1 --> ASCORBYL GLUCOSIDE/CN
E4 1 ASCORBYL L-LACTATE/CN
E5 1 ASCORBYL LAURATE/CN

E6 1 ASCORBYL LINOLENATE/CN
 E7 1 ASCORBYL MONOMYRISTATE/CN
 E8 1 ASCORBYL MONOPALMITATE/CN
 E9 1 ASCORBYL MYRISTATE/CN
 E10 1 ASCORBYL OCTANOATE/CN
 E11 1 ASCORBYL PALMITATE/CN
 E12 1 ASCORBYL PALMITATE-A-TOCOPHERAMINE MIXTURE/CN

=> S E3

L8 1 "ASCORBYL GLUCOSIDE"/CN

=> FILE CAPLUS

COST IN U.S. DOLLARS	ENTRY	SINCE FILE SESSION	TOTAL
FULL ESTIMATED COST		36.90	71.91

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	ENTRY	SINCE FILE SESSION	TOTAL
CA SUBSCRIBER PRICE		0.00	-5.46

CA SUBSCRIBER PRICE 0.00 -5.46

FILE 'CAPLUS' ENTERED AT 12:32:30 ON 17 OCT 2007
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 17 Oct 2007 VOL 147 ISS 17
 FILE LAST UPDATED: 16 Oct 2007 (20071016/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> S (L5 and (L6 or L7 or L8))

18543 L5

58 L6

357 L7

429 L8

L9 7 (L5 AND (L6 OR L7 OR L8))

=>

=> S L9 not L3

L10 0 L9 NOT L3

=> END

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF

LOGOFF? (Y)/N/HOLD:y

COST IN U.S. DOLLARS

	ENTRY	SESSION	SINCE FILE	TOTAL
--	-------	---------	------------	-------

FULL ESTIMATED COST

	1.88	73.79		
--	------	-------	--	--

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS) SINCE FILE
TOTAL

	ENTRY	SESSION
--	-------	---------

CA SUBSCRIBER PRICE

0.00	-5.46
------	-------

STN INTERNATIONAL LOGOFF AT 12:34:58 ON 17 OCT 2007